Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
LI	64	(multiple or plural) adj load adj (instruction or operation or opcode or op-code)	US-PGPUB, USPAT; USOCR, EPO; JPO; DERWENT , IBM_TDB	NEAR	ON	2005/11/16 09:55
L2	699787	random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:31
L3	1	11 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:32
L4	0	encrypt\$3 same 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:33
L5	30748	(multiple or plural) adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:51
L6	5326	chaotic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:50
L7	723	15 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT , IBM_TDB	NEAR	ON	2005/11/16 09:50
L8	264475	12 with (memory or storage or register or buffer or ram or dram or sdram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:51

L9	395	15 same 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:51
L10	761	(multiple or plural) adj data adj (transfer or instruction or operation or opcode or op-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16:09:52
L11	6	110 same 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 09:52
L12	9	(multiple or plural) adj move adj (transfer or instruction or operation or opcode or op-code)	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16:09:59
L13	14409	no\$1 adj (sequential\$2 or contiguous\$2 or serial\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM TDB	NEAR	ON	2005/11/16 10:01
L14	1	11-same 113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:02
L15	1	110 same 113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:02
L16	0	112 same 113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:02



Search Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

. Add a query to the Search

 Combine search queries using AND, OR, or NOT

Query Display

• Delete a search

• Run a search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Wed, 16 Nov 2005, 10:07:31 AM EST

Ras

Welcome United States Patent and Trademark Office

Search Query Display

Recent Search Queries

Results

#1 ((((multiple or multi or plural) <near/2> (load or move or copy)
<near/2> (operation or transfer or instruction or opcode or opcode)) and (random* or non-sequential* or non-contiguous* or non-serial))<in>metadata)

0

#Inspec

Help Contact Us Privacy & Security IEEE.org

@ Copyright 2005 IEEE - All Rights Reserved

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
E1	89	multi adj (load or move or data or copy) adj (transfer or instruction or operation or opcode or op-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:08
L2	699787	random\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:10
1.3	14409	no\$1 adj (sequential\$2 or contiguous\$2 or serial\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16:10:14
L4	0	11 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:14
L5	0	11 same 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/11/16 10:14